## FISH FACTS 2015

Results from fishery surveys conducted during the summer of 2015 are shown on the following pages. Lakes are mainly surveyed using two types of equipment; gill nets or downhaul trap nets. Both types of equipment are effective in capturing fish; however, fish caught in downhaul traps can generally be released after being measured, whereas fish caught in gill nets are generally not releasable. For this reason, size of fish caught in downhaul trap nets is recorded by total length to minimize stress and harm to the fish, while size of fish captured in gill nets is reported by weight.

If you have any questions on survey methods or equipment, or if you have concerns about the health of a specific fishery, please contact your nearest Ministry of Environment fisheries biologist.

Water body and Location	Species Caught (Weight) and Population Status	Date Tested/Survey Gear/Remarks
Admiral Reservoir 25, 36 - 8 - 16 W3 southwest of Admiral	Walleye: (400 - 1460 g) Excellent Perch: (5 - 470 g) Moderate	August 12 - 13 / Gill nets. Stocked every second year with walleye fry; perch were re-introduced in 2009 and 2011. No angling reports at the time of the survey.
Alameda Reservoir 4, 5 - 2 W2 northwest of Oxbow	Walleye: (55 - 4385 g) Good Pike: (1275 - 3470 g) Poor Perch: (50 - 535 g) Fair	August 17 - 19 / Gill nets. Walleye numbers are consistent with the previous survey, with average weight increasing. Angling success reported as good.
<b>Big Fishing Lake</b> 33 - 11 W2 southeast of Wadena	<b>Walleye:</b> (140 - 2040 g) Excellent <b>Pike:</b> (60 - 4280 g) Moderate <b>Perch:</b> (50 g) Sparse	July 20 - 21 / Gill nets. Angling success for walleye reported as good. Water levels remain high.
<b>Camp Ten Lake</b> 10, 11 - 61 - 27 W2 south of Weyakwin	Rainbow trout: (52 - 74 g) Sparse	August 25 / Gill nets. Angling success reported as poor. Stocked annually with 4,000 rainbow trout fingerling.
<b>Chopper Lake</b> 30 - 60 - 18 W2 west of Little Bear Lake	Nil catch	July 21 / Gill nets. Results indicate a complete winterkill has occurred.
<b>Diamond Lake</b> 16 - 60 - 19 W2 north of Piprell Lake	Brook trout: (82 - 386 g) Moderate	June 3 / Gill nets. Angling success reported as fair.
Eagleback Lake 12, 13 - 49 - 6 W3 south of Shell lake	Nil catch	May 27 / Gill nets. Results indicate a complete winterkill has occurred.
<b>Fafard Lake</b> 56° 13' 103° 06' south of Whitesand Dam at Reindeer Lake.	Walleye: (190 - 1080 g) Moderate Sauger: (120 - 530 g) Sparse Pike: (240 - 1140 g) Poor Perch: (20 - 320 g) Poor Whitefish: (720 - 1050 g) Burbot: (620 g)	August 17 - 19 / Gill nets. Good angling success reported for walleye. Majority of perch were angling size (>18 cm). Access via boat from Southend and short portage around the Whitesand Dam.
<b>Gromnicki Lake</b> 55° 31' 106° 05' north of Besnard Lake	Walleye: (60 - 930 g) Moderate Pike: (40 - 7250 g) Fair Perch: (40 g) Sparse Whitefish: (130 - 1360 g)	June 1 - 3 / Gill nets. Angling success for walleye and pike reported as good. Difficult access by abandoned logging trail and 400-metre ATV trail. No facilities or boat launch.
Helene Lake 52, 53 - 15, 16 W3 northeast of Glaslyn	<b>Common sucker:</b> (113 - 1038 g)	May 12 - 15 / Trap nets. May 26 - 27 / Gill nets. Complete winterkill of walleye confirmed. Ongoing winter oxygen testing will determine the feasibility of future walleye fry stocking.

Jackfish Lake	Walleye: (170 - 2997 g) Poor	July 13 - 16 / Gill nets. Pike numbers
47 - 17 W3	<b>Pike:</b> (85 - 2600 g) Good	have increased relative to previous
north of North Battleford	<b>Perch:</b> (28 - 124 g) Poor	surveys. No angling reports available at
	<b>Whitefish:</b> (42 - 1600 g)	the time of the survey.
Jade Lake (Big)	<b>Splake:</b> (580 - 1656 g) Moderate	June 1 / Gill nets. Fair angling success
17 - 60 - 19 W2	~ <b>P</b> (000 - 000 - 00) - 000 - 00	reported at the time of the survey.
north of Piprell Lake		1
Jade Lake (Little)	<b>Splake:</b> (576 - 1094 g) Fair	June 1 / Gill nets. Although angling
17 - 60 - 19 W2	Rainbow trout: Nil	success for rainbow trout was reported as
north of Piprell lake		fair, none were captured in the nets.
Jan Lake	Walleye: (40 - 3000 g) Moderate	August 4 - 7 / Gill nets. Popular angling
54° 56' 102° 55'	<b>Pike:</b> (480 - 6700 g) Poor	destination with good angling reported
north of Hanson Lake	<b>Perch:</b> (30 - 200 g) Poor	for pike and walleye at the time of the
road (Hwy # 106)	<b>Whitefish:</b> (40 - 1520 g)	survey. Access off Hwy 135 north of
	<b>Burbot:</b> (60 g)	Hanson Lake road (Hwy 106).
Kipabiskau Lake	Walleye: (60 - 2444 g) Moderate	June 24 / Gill nets. Angling reported to
41, 42 - 15, 16 W2	Pike: (380 - 5080 g) Moderate	be fair for walleye and pike at the time of
southwest of Tisdale	<b>Perch:</b> (86 - 496 g) Moderate	the survey.
Kit Lake	Rainbow trout: (418 - 874 g) Moderate	August 19 / Gill nets. Stocked with 6,000
12 - 61 - 21 W2		rainbow trout fingering annually.
Lac la Ronge	<b>Walleye:</b> (42.9 - 78.4 cm)	May 18 - 28 / Trap net. Spring post-
Pickerel Bay	<b>Pike:</b> (29.6 - 92.6 cm)	spawn investigation - all fish released.
55° 08' 104° 27'		Walleye and pike numbers have increased
		since the last assessment in 2010. Boat
		access from La Ronge town site.
Lac la Ronge	Lake trout: (1320 - 11200 g)	September 24 - Oct 9 / Gill nets. Ongoing
near Quinlan Island	_	lake trout spawning survey. Lake trout
55° 15' 104° 45'		numbers have increased since the last
		assessment in 2011. Boat access from La
		Ronge town site.
Lac Pelletier	Walleye: (220 - 2690 g) Good	August 10 - 11 / Gill nets. Abundant
12 - 15 W3	<b>Pike:</b> (120 - 1630 g) Fair	walleye population with many large fish
southwest of Swift	<b>Perch:</b> (50 - 290 g) Moderate	present. Walleye fry are stocked every
Current	<b>Whitefish:</b> (890 - 1590 g)	second year. Angling success is reported
		as fair.
Lady Lake	Rainbow trout: (78 - 1350 g) Fair	August 11 / Gill nets. Stocked annually
35 - 5 W2	<b>Brook trout:</b> (190 - 210 g) Poor	with 7,000 rainbow trout and alternating
north of Preeceville	<b>Tiger trout:</b> (556 g) Poor	years with tiger trout and brook trout.
	<b>Perch:</b> $(408 \text{ g})$ Poor	This lake is aerated during the winter - be cautious of thin ice.
	<b>Common sucker:</b> (46 - 1280 g)	
Little Fishing Lake 33 - 11 W2	<b>Walleye:</b> (70 - 1190 g) Good	July 21 - 23 / Gill nets. Abundant walleye
southeast of Wadena	<b>Pike:</b> (810 - 1180 g) Poor <b>Porch:</b> (50 g) Sparse	population with good angling success reported. Water levels remain high.
	Perch: (50 g) Sparse	
Lower Fishing Lake	<b>Walleye:</b> (272 - 2930 g) Moderate	August 4 / Gill nets. No reports of
27, 34 - 58 - 18 W2 Narrow Hills Provincial	<b>Pike:</b> (78 - 4000 g) Fair Whitefight (280 - 1556 g)	angling success at the time of the survey.
Park	<b>Whitefish:</b> (380 - 1556 g)	
	Wellower $(495 - 2290 \rightarrow \Gamma - 11)$	August 25 $26/C^{11}$ and $A1$ where
<b>Lucien Lake</b> 36 - 40 - 24 W2	<b>Walleye:</b> (485 - 2280 g) Excellent	August 25 - 26 / Gill nets. Abundant
east of Cudworth	<b>Pike:</b> (400 - 2355 g) Poor <b>Porch:</b> (50 - 145 g) Moderate	walleye population with good angling success reported. Walleye fry are stocked
	<b>Perch:</b> (50 - 145 g) Moderate	every second year.
		every second year.

18 / Gill note
28 / Gill nets.
lant relative to
angling success
re less abundant
ys with angling
od. Most perch
cm); however,
rcentage of angling
t. Whitefish
t with previous
Valleye are less
evious surveys
eported as poor.
abundance from
angling success
t perch were forage
sh have declined in
urvey.
CR1 limits in
eports of angling
he survey.
. Special
e for walleye. No
ess at the time of
. Walleye are more
ered in previous
ess is reported as
cked annually with
his lake is aerated
cautious of thin ice.
ked annually with
erling.
ets. Walleye are
ountered in
good percentage
d fish. Angling
fair. Pike numbers
•
rom previous
centage of quality
-

Pinkney Lake 28, 32, 33 - 58 - 21 W2 north of Whiteswan Lake	<b>Walleye:</b> (182 - 1266 g) Fair <b>Pike:</b> (318 g) Sparse	August 17 / Gill nets. Fair angling success reported for walleye and pike.
<b>Ridge Lake</b> 11 - 61 - 21 W2 northwest of Piprell Lake	<b>Brook trout:</b> (210 - 764 g) Good	July 22 / Gill nets. Stocked every second year with 4,000 brook trout fingerling.
Sapphire Lake 16 - 60 - 19 W2 northeast of Piprell Lake	<b>Splake:</b> (226 - 588 g) Good	June 3 / Gill nets. Stocked with 1,600 splake fingerling every second year.
Vivian Lake 54° 25' 108° 54' Meadow Lake Provincial Park	Rainbow trout: (1612 - 4361 g) Sparse	May 13 - 14 / Gill nets. Lake has a history of winterkills. Angling success reported as poor.
<b>Wakaw Lake</b> 42, 43 - 25, 26 W2 east of Wakaw	Walleye: (220 - 2030 g) Good Pike: (200 - 3170 g) Moderate Perch: (60 - 140 g) Fair	June 8 - 9 / Gill nets. Walleye and pike are more abundant than encountered in previous surveys. No reports of angling success at the time of the survey.
Worthington Lake 53° 57' 109° 36' southwest of Loon Lake	Nil catch	July 28 - 29 / Gill nets. Low water levels have contributed to frequent winterkills since 1987.